

## Vyrobený pre vysávanie výbušného/horľavého prachu v ATEX Zone 22

Legislation (IEC/EN 60335-2-69) has placed some very tight restrictions on handling hazardous dust. The ATTIX 995 H/M TYPE 22 vacuum cleaner fulfills all demands at the highest level of safety to ensure maximum health protection. The wet&dry vacuum cleaner controls H-, M-Class, as well as explosive dust. The use of EC technology meaning 2 single-phase brushless motors and the complete conductivity makes this machine applicable in ATEX Zone 22 environments. By choosing the correct electrically conductive and grounded inlet in combination with the Type 22 accessories the vacuum cleaner allows you to work with a safe and spark free solution. The stainless steel SitDown container is robust and makes disposal possible without removing the motorhead, and the included disposal bag and safety filterbag enables safe dustfree working and disposal. On top of the motorhead you will find a big tool deposit and room to store your accessories. The perfect industrial solution for health endangerous, carcinogenic and combustable/flammable dusts.

Approved for cleaning and dust extraction in ATEX Zone 22 environments with explosive dust Dual brushless long life EC motors for ignition-source-free performance High quality stainless steel container with steel chassis Big surface H-Class filter for high efficiency and low maintenance costs A full range of Type 22 accessories is available to tailor your machine to your application

The ATTIX 995 H/M TYPE 22 is a powerful two-motor vacuum cleaner approved to be used for both M- and H-Class dust and ATEX Zone 22 environments. Featuring XtremeClean automatic filter cleaning and a stainless steel SitDown container. The build-in FlowSensor and acoustic warning signal monitors air speed in the suction hose to make sure that it does go below the minimum 20 m/s. The perfect concept for Industrial use where safety is a must.



Picture shown may not represent model quoted

- Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 995-0H/M T22 230/1/50 EU
	Filtre			
	FILTER ELEMENT D275X187 H-CLASS	107400564	1	•
	Špeciálne filtre			
	Vzduchový filter chladenia motora	107400041	1	•

Model ATTIX 995-0H/M T22 230/1/50 EU

Ref. no. 302002904

## PRODUCT FEATURES

Pomalý rozbeh	•
Senzor prietoku vzduchu	•
Antistatický systém	•
Robustný oceľový podvozok	•
Bezkeľový jednofázový motor	•
Schválenie pre nebezpečné látky trieda m	•
Schválenie pre nebezpečné látky trieda h	•
Schválenie pre atex zónu 22	•
Výsuvný systém nádoby	•



## Vyrobený pre vysávanie výbušného/horľavého prachu v ATEX Zone 22

Model ATTIX 995-0H/M  
T22 230/1/50 EU

Ref. no. 302002904

## PRODUCT FEATURES

- Vrečko pre likvidáciu •
- Bezpečnostné filtračné vrečko 1ks •

Technical specifications ATTIX 995-0H/M  
T22 230/1/50 EU










Príkon p <sub>max</sub> (W)	2 x 1400
Príkon piec (W)	2 x 1100
Pripojenie k sieti (V/~/Hz/A)	230/1/50-60/16
Miera prietoku vzduchu (l/min)	2 x 3200
Podtlak (mbar/kPa)	230/23
Prevádzková hlučnosť (db(A))	67
Prívodný kábel (m)	10
Maximálny objem nádoby (l)	50
Systém čistenia filtra	XtremeClean
Typ hlavného filtra	H-class
Dĺžka x šírka x výška (cm)	61.5 x 69 x 99
Hmotnosť (kg)	45

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	ATTIX 995-0H/M T22 230/1/50 EU
System TYPE 22 (ATEX) - trubice/hubice			
COURSE DIRT NOZZLE 50MM ALU	42835	1	○
DIAGONAL TUBE NOZZLE ? 36M	302000227	1	○
NOZZLE 450X ? 36MM B1	302000369	1	○
NOZZLE BRUSH ? 36 PLAST	44191	1	○
NOZZLE CONE RUBBER	42836	1	○
NOZZLE CREVICE PLAST	42837	1	○
NOZZLE CREVICE PLAST	44192	1	○
NOZZLE FLAT RUBBER	42839	1	○
PIPE CLEANING NOZZLE	48066	1	○
PIPE CLEANING NOZZLE	48067	1	○
Podlahová hubica D50x500	42834	1	○
ROUND BRUSH NOZZLE ? 50MM	42831	1	○
TUBE EXTENSION ? 36 SS	46982	1	○
TUBE EXTENSION ? 50 SS	33609	1	○



Vyrobený pre vysávanie výbušného/horľavého prachu v ATEX Zone 22

Accessories		Ref. no.	Min. required	ATTIX 995-0H/ M T22 230/1/50 EU
	TUBE HAND CURVEDD36SS	44188	1	○
System TYPE 22 (ATEX) - sacie hadice				
	HOSE ? 50X8000MM CHIP TYPE 22	63710	1	○
	HOSE ?36X4000MM W COUPLING TYPE 22	44193	1	○
	HOSE ?50X4000 CONDUCTIVE	43245	1	○
	HOSE ? 50X4000MM B1/AS	42825	1	○
Sady príslušenstiev k vysávačom				
	B1 SET ? 36	48907	1	○
Špeciálne filtre				
	Vzduchový filter chladenia motora	107400041	1	●
Filtre				
	FILTER ELEMENT D275X187 H-CLASS	107400564	1	●
Vrecká pre likvidáciu				
	Odpadové vrecko 5ks	302001480	1	○
System 50 - podlahové hubice				
	Podlahová hubica D50x600	302001481	1	○
Zberače výfukového vzduchu				
	Výfuková spojka D50	302002621	1	○
Ostatné				
	Kôš na prísl.	302002624	1	○
	Prísl. pre VZV	302002622	1	○
Bezpečnostné vrecká				
	M/H Bezpečnostné prachové vrecko 5ks	302003473	1	○